



PROPOSED REMEDIATION B: High use  
(increased time spent)

- B 1 New hardscape from imported material, entirely separated from existing contaminated ground  
New levels vary
- B 2 New hardscape from imported material  
New levels +800mm existing ground level (EGL)
- B 3 Impermeable structure (footings to be considered)  
New levels vary
- B 4 New softscape from clean imported material  
New levels vary (minimum +500mm EGL)
- B 5 New landscape bunds for spoil material with geotextile membrane and minimum 500mm clean capping layer (surface material varies)  
New levels vary
- B 6 Exclude from remediation  
Existing levels maintained: +/- 0 EGL



Halebourne Nurseries  
Halebourne Lane  
Chobham  
GU24 8SL

Notes

- Site boundary
- Site boundary LBWF Highways (by others)

For proposed ground levels refer to GA B1605

Note: To be read in conjunction with Appendix A: Remediation Method Statement LP1428/RMS



Project CHENEY ROW PARK	
Drawing No. GA B1604	rev.
Title Proposed remediation B	
Scale 1:1000 @A3	
Date 20-03-2018	
Revisions	
Status FOR CONSTRUCTION	

PROPOSED REMEDIATION B  
SCALE 1:1000

Do not scale off drawings. Check all dimensions on site and report any apparent discrepancy immediately.